Catalogue









THERMO BLOW ENGINEERS

An ISO 9001 :2008 India New Delhi Management Directory :

- Mr Vijay Kumar Grover (Managing Director)
- Mr Chandan Grover (Vice President Operations)
 - Mr Puneet Grover (Marketing Head)

Business Profile:

The Company came into existence in the year 1986, founded by Mr Vijay Kumar Grover embarked on a journey to deliver the best and establish a good reputation through its competency. We are a large scale manufacturer carrying out the business in India and U.K. catering to all types of clients (Government & Private Sector) with our diversity and the latest machinery we ensure that all your sports requirements are fulfilled we are a one place stop for all your sports related requirements. From gym equipment manufacturing and developing sports surface we have evolved and become one of the prominent companies in the market. Our Products are exchanged with other countries like (UK,US,GERMANY, TURKEY AND CHINA). All are products are checked tested and undergo a quality check. We offer a wide range of sports surfaces Like (Indoor/Outdoor Synthetic Badminton Flooring, Gym equipment Indian/Imported Cardio, strength and Cross fit Sports Poles, Boxing ring, Gymnastic equipment, gym flooring. We customize the product according to the customer's needs.







Basket Ball Court




Lawn Tennis Court




Badminton Court




Cushioned Acrylic Type



SBR-SPU Shock-absorbing




SPU Maple



SPU Typical



SPU Supongy



Application: Volleyball/ Tennis/Basketball/Handball/Multi Purpose Courts Etc.

Indoor PVC Flooring






Indoor PVC Sports Flooring are available :

- ► Thickness 4.5mm & 7mm
- ► Colors Green/ Blue/ Red/ Grey/ Maple





Surface Regirements

The Basic Requirements

- 1) The basic ground must be clean, dry, smooth and no cracks.
- It is better to ensure 15 ℃ for indoor temperature it should not be installed under 0 ℃ or higher 35 ℃
- 3) Indoor atmosphere requirement : Between 20%-75%.
- The concrete ground is supposed to have low moisture content less than 2.5% and the gypsum ground should be less than 0.5%.
- 5) Error of 2 meter ruler on floor surface should be within 3mm.
- The ground should be cleaned before installation, unfolded the floor on ground more than 24 hours in advance and the local temperature should not be lower than 15 °C.
- Besides, it also can be installed on wooden floor, compound wood floor, tile floor, marble floor and soon.



Application: Volleyball/ Table Tennis/ Tennis/Basketball/Handball/Indoor Soccer/
Aerobics/Gym/Billiards/Multi Purpose Hall Etc.

Indoor Wooden Flooring






WOODEN FLOOR

MAPLE WOOD – We are offering Maple & Teak wooden flooring for sports courts. Maple wood is the hardest of hard woods and is the recommended wood for squash, basketball, badminton & Multi Purpose Courts.

Maple & Teak wood

- Pine/Fir Wood Sleepers 70mm wide x 32 mm thick x 4'+ planks, chemically treated or termites
- Cushion Pads- cushion pads placed under the wooden sleepers for extra resilience
- Flooring Maple, 20 x 38/57 mm, Tongue & Groove, kiln dried and treated for termites (We are offering you BWF approved wooden flooring i.e., from USA. This is an excellent maple wood system from certified, MFMA certified and meets EN norms.)
- 4. The maple flooring will be finished with anti-skid polyurethane finish.





Squash Courts

WOODEN FLOOR

- Pine/Fir Wood Sleepers 70mm wide x 32 mm thick x 4'+ planks, chemically treated or termites
- Cushion Pads- cushion pads placed under the wooden sleepers for extra resilience
- 3 Flooring –, 20 x 38/57 mm, Tongue & Groove, kiln dried and treated for termites
- 4. The flooring will be finished with anti skid polyurethane finish.

REAR GLASS WALL

HARD PLASTER TREATMENT

SOUNDBOARD



Application: Basketball/ Badminton/ Aerobics/Gym Billiards/Multi Purpose Hall Etc.

Outdoor PVC Flooring




POLY VINYL CHLORIDE OUTDOOR BADMINTION COURT





Product Details

Outside PVC Flooring



Parameter

1.8m	Thickness	5.5mm
15 & 20m	Surface Pattern	Outside PVC Flooring
	NEW SEC	

Application: Volleyball/ Tennis/Basketball/ Badminton/ Handball/Multi/ Purpose Courts Etc.

Sports Turf





Football field

we expertise in developing Football fields with artificial turf providing approved by governing bodies FIFA.

Thickness 50mm/60mm+/-1.5mm,







Multisport


Thermoblow's artificial Multisport grass is ideal for all sports like Athletic Volleyball, Cricket, Hockey, Etc. It Just does not look like grass natural grass but you can feel the touch of natural grass its virtually maintenance free having done several projects we take pride in delivering satisfactory results to all our clients. It is a multi sport turf which can also be used to serve different purposes like lawn flooring, children's playing Etc.

Thickness 13mm/16mm+/-1mm,

Application: FootBall/ Hockey/ Cricket/ Rugby/ Volleyball/ Tennis/Children Playing Area
Multi Purpose Courts Etc.








Application: Athletic/ Jogging/ Running Tracks

PP INTERLOCKING FLOORING



Model No. Double-layer

Size: 30.1cm* 30.1cm* 1.58cm

Usage: Fustal Court, Tennis, Basketball, Volleyball,


Multipurpose Use Service Life: 8 Years

Model No. Double-layer

Size: 30. 48CM* 30. 48CM* 1.58CM

Usage: Fustal Court, Tennis, Basketball, Volleyball,

Multipurpose Use Service Life: 8 Years





Model No. fLAT


Size: 25CM* 25CM* 1.22CM

Usage: Fustal Court, Tennis, Basketball, Volleyball,


Multipurpose Use Service Life: 8 Years

ADVANTAGE

- 1. Durable: Suspended structure, interlocking floor.
- 2. Environmental Protection: 100% recyclable material and Odorless.
- 3. Long Service Life: 8-12 years.
- 4. Installation: Easy to install, no need adhesive.
- 5. Safety: Reduce the sprain and strain in sports.
- 6. Maintenance: Free maintenance.
- 7. All Weather: No special weather be required.
- 8. Temperature: -40°C-80°C.
- 9. Certificate: CESGS.
- 10. Multi-purpose and colorful appearance.
















EPDM Surfaces



Application Process

Top layer is pure EPDM granules which is made with "Ethylene propylene diene monomer" with color pigment.

Color are inbuilt with granules which will never loss original color.

Granule standard size in 1-4 mm.

Top layer of EPDM is fix of 6 mm thickness in any system.

We will create any design/school logo over this EPDM surface of 6 mm only...rest is the cushion base surface.

EPDM granules have high weather and heat resistance properties...mainly non-toxic product.


Thickness available 15mm to 50mm can be customized

Rubber Flooring



We are FIT FLEX Rubber Floors offering our valued clients with designer flooring, which gives stunning look to living space. Additionally, our clients can avail a assortment of flooring such as Gym, Open area, Kids area & walking track

Moreover, these flooring besides, protecting the floor are easy to maintain and give your living space completely new look. We offer our services at very reasonable rates.





FEATURES...

- Impact absorbing
- · Injury reduction
- · Highly durable, long lasting surface
- · Anti-Slip for wet or dry use
- Water drains away easily no pooling of water on surface
- More cost effective with no wastage from cutting material to size
- Attractive colour range and combinations.
- Vandal Resistant
- UV Resistant
- Maintenance free





Application: Gym/ Open Play area/ Kids Room/ Tracks, Etc.

Sports Mats





JUDO MATS

i)Interior - JSR Japan synthetic rubber Form

ii)Surface - The surface and side are fully laminated with very strong smooth vinyl

 iii) Bottom – Anti sked bottom of waffle rubber on heavy jute is also fully laminated to the bottom of the interior.

The edge of the antiskid material are reinforced with a Hot melt.

- iv) Corners The corners are perfectly sealed
- v) Colour Blue & Yellow or Red & Green
- vi) Density 80kg/m3


vii) Dimensions - Length: ca 2000mm, Width: ca 1000


mm Thickness: 50 mm

WRESTLING MATS

Wrestling mats of size 12.0mx12.0mx 70mm with with PVC coated polyser anti slip base (International level) and indi 100x200x 7 cm of density 120kg/cum etc.











HIGH JUMP PITS/CRASH MATS

HIGH JUMP PITS/CRASH MATS

i)Interior - Rebounded PU Form

ii)Surface - The surface and side are fully laminated with very strong smooth vinyl

iii) Bottom - Antisked bottom.

The edge of the antiskid material are reinforced with a hotmelt

- iv) Corners The corners are perfectly sealed
- v) Colour Blue & Yellow or Red & Green
- vi) Dimensions -

2mtr x 3 mtr x 30cm.

3mtr x 4 mtr x 30cm.

2.5 mtr x 5mtr x 60cm.


3mtr x 5mtr x 60cm.

4mtr x 6mtr x 70cm.

INTERLOCKING MULTIPURPOSE MATS

we provide variety of Multipurpose Mats that are made using premium quality Japanese synthetic rubber, natural rubber, Eva foam and other allied materials. Perfect flooring system to help avoid injuries and reduce the impact on falling, easy to assemble & dissemble, durable for commercial & residential use. By the surrounding teeth called "Interlocking system" an individual surface can be created and neatly placed, and it can be enlarged and modified as per your needs, each mat is 40 inches or 3.30 ft in length. A smooth edging is possible by using the special edges pieces (Free, two per mat Included) Interlocking mats are excellent for home training areas or dojos, recommended for Judo, Jiujitsu, MMA, Aikido, Kabbadi or any throwing martial arts. Our offered mats Flexible rolls are one of the most advanced and modern form of Mats that can be used for multiple purposes.









Gym Equipment









KFT - Leg Extension



KFT - Pectoral Fly



KFT - Incline press



KFT - Lat pull Down



KFT - Abdominal Crunch



KFT - Pec Fly



KFT - Functional Trainer



KFT - Cross Over



KFT - Olympic Flat Bench



KFT - Olympic Incline Bench



KFT - Olympic Decline Bench



KFT - Knee Raise/ Dip



KFT - Flat Bench



KFT - Adjustable Bench



KFT - Squat Stand

Cardio Series

Gym Equipment



KFT - Commercial Treadmill



KFT - Semi Commercial Treadmill



KFT - Upright Bike



KFT - Recumbent Bike



KFT - Commercial **Elliptical Trainer**



KFT - Spin Bike 600



KFT - Spin Bike 500



KFT - Dumbbells W Plates / Rods

Plates Loaded Series



KFT - Incline Chest Press



KFT - Shoulder Press



KFT - Hack Squat



KFT - 45Degree Leg Press

KF-Cross Fit Range/Series



KFT - Carbon Machine




KFT - Multi Crossfit



KFT - Elite



KFT - Crossfit Climber



// TT/Snooker & Pool Tables



KFT - ELEGANT table international standard regulation top size: 2740 x 1525 x 760mm, top thickness 25mm laminated high quality, frame size 60mm x 20mm, leg size: 100mm x 50mm, wheel size 125mm x 25mm, 4 wheels with lock, 4 wheels without lock, double child safety lock system, foldable and movable anywhere outdoor or indoor, complete powder coated structure, with net and post cardboard packing, assembly time. 7 to 10 minuts, weight: 150kg. approx."

KFT - TOURNAMENT PLAY table international standard regulation top size: 2740 x 1525 x 760mm, top thickness 25mm laminated high quality, frame size 50mm x 25mm, leg size: 50mm x 50mm, wheel size 100mm x 25mm, 2 wheels with lock, 6 wheels without lock, child safety lock system, foldable and movable anywhere outdoor or indoor, complete, powder coated structure, with net and post, cardboard packing, assembly time. 7 to 10 minuts weight: 125kg approx."





KFT - CLUB international standard regulation top size: 2740x1525x760mm, top thickness 18mm laminated high quality, frame size 20mm x 31mm, leg size: 25mm x 25mm, wheel size 75mm x 25mm PVC, 2 wheels with lock, 6 wheels without lock, child safety lock system, movable anywhere outdoor or indoor, powder coated instead of spray paint, cardboard packing + wooden crate packing, assemble time. 7 to 10 minuts weight: 85kg net and when packed 120kg approx.



SNOOKER / BILLIARDS TABLE



POOL TABLE







THERMO BLOW ENGINEERS An ISO 9001: 2008 Company

Correspondence Add.: C-126, Sec-1, Bawana Industrial

Complex, Delhi-110039

Mob: +91-9810234167, 9818307969, 9643812414

Off. No: 011-27751318

E-mail: info@keepfit.in, thermoblow1985@gmail.com

Web. www.keepfitindia.com, www.keepfit.in



